AUTHOR INDEX
Volume 43

A

Abt JP see Sell TC, 558
Ackerman T see Ambegaonkar JP, 543
Almquist J, Valovich McLeod TC, Cavanna A, Jenkinson D, Lincoln AE, Loud K, Peterson BC, Portwood C, Reynolds J, Woods TS: Summary statement: appropriate medical care for the secondary school-aged athlete, 416
Ambegaonkar JP, Shultz SJ, Perrin DH, Schmitz RJ, Ackerman T, Schulz MR: Ground reaction forces, but not knee muscle activation, or sagittal knee joint stiffness differ between female dancers and basketball players during drop jumps [abstract], 543
Aminaka N, Gribble PA: Patellar taping, patellofemoral pain syndrome, lower extremity kinematics, and dynamic postural control, 21
Anderson JE see Peeler JD, 470
Applegate T see Fox J, 51
Arbogast WD see Groth JJ, 617
Armstrong CW see Tucker WS, 464
Armstrong KJ see Walker SE, 386
Arnett SW, Fu YC, Thompson R, Sigurdsson P, Simpson KJ: The effect of a rotational in-flight perturbation on landing biomechanics [abstract], 550
Arnett SW see Yom JP, 544
Aronson PA, Rijke AM, Ingersoll CD: Bilateral medial tibiofemoral joint stiffness in full extension and 20° of knee flexion, 157
Ashton-Miller JA see Palmieri-Smith RM, 547
Ayers SF see Groth JJ, 617

B

Baer J see Johanson M, 172
Barnum MG: Questioning skills demonstrated by Approved Clinical Instructors during clinical field experiences, 284
Barr AE see Stearne DJ, 548
Bartolozzi AR see Fowkes Godek S, 184
Battaglini CL see Fox ZG, 456
Bay RC see Snyder AR, 428; Valovich McLeod TC, 437
Beach A see Brumels K, 373
Beam JW: Occlusive dressings and the healing of standardized abrasions, 600
Beam JW: Tissue adhesives for simple traumatic lacerations, 222
Beaulieu ML, Lamontagne M, Xu L: Gender differences in time-frequency EMG analysis of unanticipated cutting maneuvers [abstract], 549
Bell DR, Padua DA: Influence of ankle dorsiflexion range of motion and lower leg muscle activation on medial knee displacement during a double-legged squat [abstract], 543
Beutler AI see Boling M, 557; Marshall SW, 557
Beynnon BD, Shultz SJ: Anatomic alignment, menstrual cycle phase, and the risk of anterior cruciate ligament injury, 541
Beynnon BD see Hashemi J, 556
Blackburn JT, Padua DA, Guskiewicz KM: Muscle stiffness and spinal stretch reflex sensitivity in the triceps surae, 29
Blackburn JT see Fox ZG, 456; Hanson AM, 133
Blanc RO see Ricci RD, 319
Böhme M see Schröder S, 489
Bolgla LA: Gender differences in hip and knee neuromuscular activity during a single-leg landing [abstract], 547
Boling M, Marshall SW, Padua DA, Beutler AI: Lower extremity strength as risk factors for ACL injury: preliminary data [abstract], 557
Boling M see Marshall SW, 557
Bonci CM, Bonci LJ, Granger LR, Johnson CL, Malina RM, Milne LW, Ryan RR, Vanderbunt EM: National Athletic Trainers' Association position statement: preventing, detecting, and managing disordered eating in athletes, 80
Bonci LJ see Bonci CM, 80
Borotikar BS, van den Bogert AJ: Subject specific computational modeling to predict the effect of anatomy on ACL loading [abstract], 555
Bowser B see Yom JP, 544
Brady J see Tierney RT, 578
Brown CN see DiStefano LJ, 234
Brown TN, Palmieri-Smith RM, McLean SG: An unanticipated stimulus alters lower limb mechanics during single-leg landing [abstract], 550
Brucker J see Hardy L, 347
Bruening JE see Mazerolle SM, 505; Mazerolle SM, 513
Brumels K, Beach A: Professional role complexity and job satisfaction of collegiate certified athletic trainers, 373
Buchanan AS, Docherty CL, Schrader J: Functional performance testing in participants with functional ankle instability and in a healthy control group, 342
Buckley BD see Joyce CJ, 559
Buell JL, Calland D, Hanks F, Johnston B, Pester B, Sweeney R, Thorne R: Presence of metabolic syndrome in football linemen, 608
Buoncritiani AM see Ricci RD, 319
Burkholder R see Fowkes Godek S, 184
Burton LJ see Mazerolle SM, 513
Butterwick DJ see Lafave MR, 483

C

Calland D see Buell JL, 608
Campbell BM see Tucker WS, 464
Cappaert TA, Stone JA, Castellani JW, Krause BA, Smith D, Stephens BA: National Athletic Trainers' Association position statement: environmental cold injuries, 640
Carcia CR, Martin RL, Drouin JM: Validity of the Foot and Ankle Ability Measure in athletes with chronic ankle instability, 179
Carcia CR see Lindenberg K, 551
Casa DJ see Mazerolle SM, 505; Mazerolle SM, 513
Castellani JW see Cappaert TA, 640
Caswell SV, Gould TE: Individual moral philosophies and ethical decision making of undergraduate athletic training students and educators, 205
Caswell SV see Tierney RT, 578
Cavanna A see Almquist J, 416
Cerullo J see Ricci RD, 319
Chandrashekar N see Hashemi J, 556
Chaudhari AM, Zelman EA, Jia G, Kaeding CC, Flanigan DC, Knopp MV: ACL-injured subjects have smaller ACLs than matched controls: an MRI study [abstract], 554
Clapper DC, Harris LL: Reliability and validity of an instrument to describe burnout among collegiate athletic trainers, 62
Cleary MA see Lopez RM, 55
Clemons HL see Maurer-Starks SS, 326
Collins CL see Huffman EA, 624
Collins MW see Majerske CW, 265
Comstock RD see Huffman EA, 624; Rechel JA, 197
Conrad BP see Del Rossi G, 6

Covassin T, Stearne D, Elbin R III: Concussion history and postconcussion neurocognitive performance and symptoms in collegiate athletes, 119
Covassin TM see Stearne DJ, 548
Craig DI: Medial tibial stress syndrome: evidence-based prevention, 316
Cruz AR see Herman DC, 558
Cunningham A see Richards J, 477
Curtis CK, Laudner KG, McLoda TA, McCaw ST: The role of shoe design in ankle sprain rates among collegiate basketball players, 230

D

Dabezies E see Hashemi J, 556
Darvish K see Tierney RT, 578
Davis KF see Stearne DJ, 548
Decoster LC see Gale SD, 14
Del Rossi G, Horodyski MH, Conrad BP, Di Paola CP, Di Paola MJ, Rechtine GR: The 6-plus–person lift transfer technique compared with other methods of spine boarding, 6
Denegar CR: Advancing patient care: everyone wins [editorial], 341
Denegar CR see Medina-McKeon J, 548
DeVita P see Kulas AS, 545
Di Paola CP see Del Rossi G, 6
Di Paola MJ see Del Rossi G, 6
DiStefano LJ, Padua DA, Brown CN, Guskiewicz KM: Lower extremity kinematics and ground reaction forces after prophylactic lace-up ankle bracing, 234
DiStefano LJ, Padua DA, DiStefano MJ, Marshall SW: Movement change retention following an anterior cruciate ligament injury prevention program [abstract], 560
DiStefano MJ see DiStefano LJ, 560
Doberstein ST, Romeyn RL, Reineke DM: The diagnostic value of the Clarke sign in assessing chondromalacia patella, 190
Docherty CL see Buchanan AS, 342; Fox J, 51
Donnon T see Lafave MR, 483
Döpner M see Schröder S, 489
Döring F see Schröder S, 489
Drazdauskas A see Skurvydas A, 592
Driban JB see Tierney RT, 578
Drouin JM see Carcia CR, 179
Durall CJ see Kernozek T, 37

E

Ebersole KT, Malek DM: Fatigue and the electromechanical efficiency of the vastus medialis and vastus lateralis muscles, 152
Elbin R III see Covassin T, 119

F

Fields SK see Huffman EA, 624
Fischer A see Schröder S, 489
Flanagan EP, Galvin L, Harrison AJ: Force production and reactive strength capabilities after anterior cruciate ligament reconstruction, 249
Flanigan DC see Chaudhari AM, 554
Fletcher MJ see Tsai LC, 552
Fowkes Godek S, Bartolozzi AR, Burkholder R, Sugarman E, Peduzzi C: Sweat rates and fluid turnover in professional football players: a comparison of National Football League linemen and backs, 184
Fox J, Docherty CL, Schrader J, Applegate T: Eccentric plantar-flexor torque deficits in participants with functional ankle instability, 51
Fox ZG, Mihalik JP, Blackburn JT, Battaglini CL, Guskiewicz KM: Return of postural control to baseline after anaerobic and aerobic exercise protocols, 456
Freemyer BG see Stickley CD, 571
Friske A see Kernozek T, 37
Frye JL see Shaw MY, 164
Fu FH see Ricci RD, 319
Fu YC see Arnett SW, 550; Yom JP, 544

G

Gale SD, Decoster LC, Swartz EE: The combined tool approach for face mask removal during on-field conditions, 14
Galvin L see Flanagan EP, 249
Garrett B see Marshall SW, 557
Garrett WE see Herman DC, 558
Garrison JC see Jackson KR, 546
Gill B see Hashemi J, 556
Gould TE see Caswell SV, 205
Granger LR see Bonci CM, 80
Gribble PA see Aminaka N, 21; Shaw MY, 164
Grindstaff TL see Pietrosimone BG, 409
Gross MT see Ross SE, 44
Groth JJ, Ayers SF, Miller MG, Arbogast WD: Self-reported health and fitness habits of certified athletic trainers, 617
Guskiewicz KM see Blackburn JT, 29; DiStefano LJ, 234; Fox ZG, 456; Ross SE, 44

H

Hackney AC, Viru A: Research methodology: endocrinologic measurements in exercise science and sports medicine, 631
Hamilton RT, Shultz SJ, Schmitz RJ, Perrin DH: Triple-hop distance as a valid predictor of lower limb strength and power, 144
Hamson-Utley JJ, Martin S, Walters J: Athletic trainers' and physical therapists' perceptions of the effectiveness of psychological skills within sport injury rehabilitation programs, 258
Hanks F see Buell JL, 608
Hannasch C see Horswill CA, 585
Hanson AM, Padua DA, Blackburn JT, Prentice WE, Hirth CJ: Muscle activation during side-step cutting maneuvers in male and female soccer athletes, 133
Hardy L, Huxel K, Brucker J, Nesser T: Prophylactic ankle braces and Star Excursion Balance measures in healthy volunteers, 347
Harris LL see Clapper DC, 62
Harrison AJ see Flanagan EP, 249
Harter RA see Hoffman M, 364
Hashemi J, Chandrashekar N, Gill B, Beynnon BD, Slauterbeck JR, Schutt R, Dabezies E: The tibial plateau and its influence on the biomechanics of the tibiofemoral joint: a sex-based comparison in a blinded study [abstract], 556
Hayes BT see Hoffman M, 364
Hayes C see Richards J, 477
Heitman RJ see Kovaleski JE, 242
Henning JM, Weidner TG: Role strain in collegiate athletic training Approved Clinical Instructors, 275
Herman DC, Moore AL, Cruz AR, Garrett WE, Yu B, Padua DA: The effects of leg dominance and strength imbalance in the kinematics of female recreational athletes in a stop-jump task [abstract], 558
Hertel J see Jackson KR, 546; McKeon PO, 293; McKeon PO, 305; Medina-McKeon J, 548; Pietrosimone BG, 409
Hetzler RK see Stickley CD, 571
Hicks-Little CA see Hubbard TJ, 523
Higgins M see Tierney RT, 578
Hirth CJ see Hanson AM, 133
Hoffman M, Harter RA, Hayes BT, Wojtys EM, Murtaugh P: The interrelationships among sex hormone concentrations, motoneuron excitability, and anterior tibial displacement in women and men, 364
Hollis JM see Kovaleski JE, 242
Horodyski MH see Del Rossi G, 6
Horswill CA, Stofan JR, Lovett SC, Hannasch C: Core temperature and metabolic responses after carbohydrate intake during exercise at 30°C, 585
Hortobagyi T see Kulas AS, 545

House AJ see Sell TC, 558
Hovermale H see Johanson M, 172
Huang HC see Sell TC, 558
Hubbard TJ, Hicks-Little CA: Ankle ligament healing after an acute ankle sprain: an evidence-based approach, 523
Huffman EA, Yard EE, Fields SK, Collins CL, Comstock RD: Epidemiology of rare injuries and conditions among United States high school athletes during the 2005–2006 and 2006–2007 school years, 624
Hülsmann O see Schröder S, 489
Huxel K see Hardy L, 347

I

Ingersoll CD: A new era [editorial], 5
Ingersoll CD see Aronson PA, 157; Jackson KR, 546

J

Jackson KR, Garrison JC, Ingersoll CD, Hertel J: Lower extremity kinetic differences during drop-jump landings between prepubescent males and females [abstract], 546
Jenkinson D see Almquist J, 416
Jia G see Chaudhari AM, 554
Johanson M, Baer J, Hovermale H, Phouthavong P: Subtalar joint position during gastrocnemius stretching and ankle dorsiflexion range of motion, 172
Johnson CL see Bonci CM, 80
Johnston B see Buell JL, 608
Jones LC see Lopez RM, 55
Joyce CJ, Thigpen CA, Buckley BD, Padua DA: A 12-week pre-practice exercise intervention decreases ground reaction forces during jumping in high school basketball players [abstract], 559

K

Kaeding CC see Chaudhari AM, 554
Kamandulis S see Skurvydas A, 592
Kane EJ see Teyhen DS, 352
Kang M, Ragan BG, Park J-H: Issues in outcomes research: an overview of randomization techniques for clinical trials, 215
Katz L see Lafave MR, 483
Kendrick ZV see Stearne DJ, 548
Kernozek T, Durall CJ, Friske A, Mussallem M: Ankle bracing, plantar-flexion angle, and angle muscle latencies during inversion stress in healthy participants, 37
Kim HS see Schmitz RJ, 556
Kimura IF see Stickley CD, 571
Klossner J: The role of legitimation in the professional socialization of second-year undergraduate athletic training students, 379
Knight KL: More precise classification of orthopaedic injury types and treatment will improve patient care [editorial], 117
Knopp MV see Chaudhari AM, 554
Kovaleski JE, Norrell PM, Heitman RJ, Hollis JM, Pearsall AW IV: Knee and ankle position, anterior drawer laxity, and stiffness of the ankle complex, 242
Krause BA see Cappaert TA, 640
Kulas AS, Hortobagyi T, DeVita P: Trunk flexion angle and ground reaction force as predictors of knee anterior shear forces in males and females [abstract], 545

L

Lafave MR, Katz L, Donnon T, Butterwick DJ: Initial reliability of the Standardized Orthopedic Assessment Tool (SOAT), 483
Lamontagne M see Beaulieu ML, 549
Laudner KG, Sipes RC, Wilson JT: The acute effects of sleeper stretches on shoulder range of motion, 359
Laudner KG see Curtis CK, 230
Lephart SM see Oyama S, 565; Sell TC, 558
Lincoln AE see Almquist J, 416
Lindenberg K, Carcia CR: Footwear does not alter muscle response time following a weight bearing rotary perturbation [abstract], 551
Linens SW see Pietrosimone BG, 409
Lopez RM, Cleary MA, Jones LC, Zuri RE: Thermoregulatory influence of a cooling vest on hyperthermic athletes, 55
Loud K see Almquist J, 416
Lovell MR see Majerske CW, 265
Lovett SC see Horswill CA, 585

M

Mack MG, Ragan BG: Development of the Mental, Emotional, and Bodily Toughness Inventory in collegiate athletes and nonathletes, 125
Majerske CW, Mihalik JP, Ren D, Collins MW, Reddy CC, Lovell MR, Wagner AK: Concussion in sports: postconcussive activity levels, symptoms, and neurocognitive performance, 265
Malek DM see Ebersole KT, 152
Malina RM see Bonci CM, 80
Mamkus G see Skurvydas A, 592
Marshall SW, Padua DA, Beutler AI, Boling M, Garrett B: History of prior ACL injury as a risk factor for incident ACL injury [abstract], 557
Marshall SW see Boling M, 557; DiStefano LJ, 560
Martin RL see Carcia CR, 179
Martin S see Hamson-Utley JJ, 258
Maurer-Starks SS, Clemons HL, Whalen SL: Managing heteronormativity and homonegativity in athletic training: in and beyond the classroom, 326
Mazerolle SM, Bruening JE, Casa DJ: Work-family conflict, part I: antecedents of work-family conflict in National Collegiate Athletic Association Division I-A certified athletic trainers, 505
Mazerolle SM, Bruening JE, Casa DJ, Burton LJ: Work-family conflict, part II: job and life satisfaction in National Collegiate Athletic Association Division I-A certified athletic trainers, 513
McCaw ST see Curtis CK, 230
McGrath ML, Padua DA, Thigpen CA: Comparison of lower extremity coordination and variability during a jump-landing between sexes [abstract], 546
McHardy K see Tierney RT, 578
McKeon PO, Hertel J: Systematic review of postural control and lateral ankle instability, part I: can deficits be detected with instrumented testing?, 293
McKeon PO, Hertel J: Systematic review of postural control and lateral ankle instability, part II: is balance training clinically effective?, 305
McLean SG: The ACL injury enigma: we can't prevent what we don't understand, 538
McLean SG see Brown TN, 550; Palmieri-Smith RM, 547; Parekh JN, 552; Thomas AC, 551
McLoda TA see Curtis CK, 230
McMahon PJ see Ricci RD, 319
Medina-McKeon J, Denegar CR, Hertel J: Transverse plane positioning of the hip is different between males and females during a sidestep cut [abstract], 548
Mensch J, Mitchell M: Choosing a career in athletic training: exploring the perceptions of potential recruits, 70
Michener LA see Snyder AR, 428; Valovich McLeod TC, 437
Middag TR see Teyhen DS, 352
Mihalik JP see Fox ZG, 456; Majerske CW, 265
Miller JM see Teyhen DS, 352
Miller MG see Groth JJ, 617
Milne LW see Bonci CM, 80
Mitchell M see Mensch J, 70
Moore AL see Herman DC, 558
Murtaugh P see Hoffman M, 364
Mussallem M see Kernozek T, 37
Myers JB see Oyama S, 565

N

Nesser T see Hardy L, 347
Nguyen A, Schmitz RJ, Shultz SJ: Differences in lower extremity anatomy and posture characteristics in males and females between maturation groups [abstract], 554
Nguyen A see Schmitz RJ, 556; Shultz SJ, 553
Nguyen A-D see Shultz SJ, 530
Norrell PM see Kovaleski JE, 242

O

Oyama S, Myers JB, Wassinger CA, Ricci RD, Lephart SM: Asymmetric resting scapular posture in healthy overhead athletes, 565

P

Padua DA see Bell DR, 543; Blackburn JT, 29; Boling M, 557; DiStefano LJ, 234; DiStefano LJ, 560; Hanson AM, 133; Herman DC, 558; Joyce CJ, 559; Marshall SW, 557; McGrath ML, 546
Palmieri-Smith RM, McLean SG, Ashton-Miller JA, Wojtys EM: Gender differences in quadriceps and hamstring cocontraction patterns are associated with knee joint loading [abstract], 547
Palmieri-Smith RM see Brown TN, 550; Parekh JN, 552; Thomas AC, 551
Parekh JN, Palmieri-Smith RM, McLean SG: Fatigue-induced changes in central control increases noncontact ACL injury risk in females [abstract], 552
Park J-H see Kang M, 215
Parsons JT, Valovich McLeod TC, Snyder AR, Sauers EL: Change is hard: adopting a disablement model for athletic training [commentary], 446
Parsons JT see Snyder AR, 428; Valovich McLeod TC, 437
Pearsall AW IV see Kovaleski JE, 242
Peduzzi C see Fowkes Godek S, 184
Peeler JD, Anderson JE: Reliability limits of the modified Thomas test for assessing rectus femoris muscle flexibility about the knee joint, 470
Perrin DH see Ambegaonkar JP, 543; Hamilton RT, 144; Shultz SJ, 553
Pester B see Buell JL, 608
Peterson BC see Almquist J, 416
Phouthavong P see Johanson M, 172
Pietrosimone BG, Grindstaff TL, Linens SW, Uczekaj E, Hertel J: A systematic review of prophylactic braces in the prevention of knee ligament injuries in collegiate football players, 409
Pollard CD, Sigward SM, Powers CM: Stiff landing increases frontal plane loading of the knee [abstract], 544
Pollard CD see Sigward SM, 559; Tsai LC, 552
Portwood C see Almquist J, 416
Powers CM see Pollard CD, 544; Sigward SM, 559; Tsai LC, 552
Prentice WE see Hanson AM, 133

R

Ragan BG see Kang M, 215; Mack MG, 125
Rechel JA, Yard EE, Comstock RD: An epidemiologic comparison of high school sports injuries sustained in practice and competition, 197
Rechtine GR see Del Rossi G, 6
Reddy CC see Majerske CW, 265
Reineke DM see Doberstein ST, 190
Ren D see Majerske CW, 265
Reynolds J see Almquist J, 416
Ricci RD, Cerullo J, Blanc RO, McMahon PJ, Buoncritiani AM, Stone DA, Fu FH: Talocrural dislocation with associated Weber type C fibular fracture in a collegiate football player: a case report, 319
Ricci RD see Oyama S, 565
Richards J, Thewlis D, Selfe J, Cunningham A, Hayes C: A biomechanical investigation of a single-limb squat: implications for lower extremity rehabilitation exercise, 477
Rijke AM see Aronson PA, 157
Romeyn RL see Doberstein ST, 190
Ross SE, Guskiewicz KM, Gross MT, Yu B: Assessment tools for identifying functional limitations associated with functional ankle instability, 44
Ryan RR see Bonci CM, 80

S

Sauers EL see Parsons JT, 446; Snyder AR, 428; Valovich McLeod TC, 437
Schmelzer C see Schröder S, 489
Schmitz RJ, Nguyen A, Kim HS, Shultz SJ: Accessory knee joint motion differs by sex during transition from non-weight bearing to weight bearing [abstract], 556
Schmitz RJ see Ambegaonkar JP, 543; Hamilton RT, 144; Nguyen A, 554; Shultz SJ, 530
Schrader J see Buchanan AS, 342; Fox J, 51
Schröder S, Fischer A, Vock C, Böhme M, Schmelzer C, Döpner M, Hülsmann O, Döring F: Nutrition concepts for elite distance runners based on macronutrient and energy expenditure, 489
Schulz MR see Ambegaonkar JP, 543
Schutt R see Hashemi J, 556
Selfe J see Richards J, 477
Sell TC, House AJ, Huang HC, Abt JP, Lephart SM: A lack of correlation between static and dynamic measures of postural stability [abstract], 558
Shaw MY, Gribble PA, Frye JL: Ankle bracing, fatigue, and time to stabilization in collegiate volleyball athletes [abstract], 164
Shimokochi Y, Shultz SJ: Mechanisms of noncontact anterior cruciate ligament injury, 396
Shultz SJ: ACL injury in the female athlete: a multifactorial problem that remains poorly understood [editorial], 455
Shultz SJ, Nguyen A, Perrin DH: Comparison of cyclic variations in anterior knee laxity, genu recurvatum and general joint laxity across the female menstrual cycle [abstract], 553
Shultz SJ, Schmitz RJ, Nguyen A-D: Research Retreat IV: ACL injuries—the gender bias, April 3–5, 2008, Greensboro, NC, 530
Shultz SJ see Ambegaonkar JP, 543; Beynnon BD, 541; Hamilton RT, 144; Nguyen A, 554; Schmitz RJ, 556; Shimokochi Y, 396
Sigurdsson P see Arnett SW, 550
Sigward SM, Pollard CD, Powers CM: The influence of an ACL injury prevention program on knee valgus moments during cutting: an evaluation of pre-pubertal, pubertal and post-pubertal female athletes [abstract], 559
Sigward SM see Pollard CD, 544; Tsai LC, 552
Simpson KJ see Arnett SW, 550; Yom JP, 544
Sipes RC see Laudner KG, 359
Sitler MR see Stearne DJ, 548
Skurvydas A, Kamandulis S, Stanislovaitis A, Streckis V, Mamkus G, Drazdauskas A: Leg immersion in warm water, stretch-shortening exercise, and exercise-induced muscle damage, 592
Slauterbeck JR see Hashemi J, 556
Smith D see Cappaert TA, 640
Snyder AR, Parsons JT, Valovich McLeod TC, Bay RC, Michener LA, Sauers EL: Using disablement models and clinical outcomes assessment to enable evidence-based athletic training practice, part I: disablement models, 428
Snyder AR see Parsons JT, 446; Valovich McLeod TC, 437
Stanislovaitis A see Skurvydas A, 592
Stearne D see Covassin T, 119
Stearne DJ, Sitler MR, Tierney RT, Covassin TM, Davis KF, Barr AE, Kendrick ZV, Torg JS: Gender differences in neuromuscular control of the hip: implications for acute non-contact anterior cruciate ligament injury [abstract], 548
Stephens BA see Cappaert TA, 640
Stickley CD, Hetzler RK, Freemyer BG, Kimura IF: Isokinetic peak torque ratios and shoulder injury history in adolescent female volleyball athletes, 571
Stofan JR see Horswill CA, 585

Stone DA see Ricci RD, 319
Stone JA see Cappaert TA, 640
Streckis V see Skurvydas A, 592
Sugarman E see Fowkes Godek S, 184
Swartz EE see Gale SD, 14; Tucker WS, 464
Sweeney R see Buell JL, 608

T

Teyhen DS, Miller JM, Middag TR, Kane EJ: Rotator cuff fatigue and glenohumeral kinematics in participants without shoulder dysfunction, 352
Thewlis D see Richards J, 477
Thigpen CA see Joyce CJ, 559; McGrath ML, 546
Thomas AC, McLean SG, Palmieri-Smith RM: Isolated quadriceps and hamstrings fatigue alters hip and knee mechanics [abstract], 551
Thompson R see Arnett SW, 550
Thorne R see Buell JL, 608
Tierney RT, Higgins M, Caswell SV, Brady J, McHardy K, Driban JB, Darvish K: Sex differences in head acceleration during heading while wearing soccer headgear, 578
Tierney RT see Stearne DJ, 548
Torg JS see Stearne DJ, 548
Tsai LC, Sigward SM, Pollard CD, Fletcher MJ, Powers CM: The effects of fatigue and recovery on knee kinetics and kinematics during side-step cutting [abstract], 552
Tucker WS, Campbell BM, Swartz EE, Armstrong CW: Electromyography of 3 scapular muscles: a comparative analysis of the Cuff Link device and a standard push-up, 464

U

Uczekaj E see Pietrosimone BG, 409

V

Valovich McLeod TC, Snyder AR, Parsons JT, Bay RC, Michener LA, Sauers EL: Using disablement models and clinical outcomes assessment to enable evidence-based athletic training practice, part II: clinical outcomes assessment, 437
Valovich McLeod TC see Almquist J, 416; Parsons JT, 446; Snyder AR, 428
van den Bogert AJ see Borotikar BS, 555
Vanderbunt EM see Bonci CM, 80
Viru A see Hackney AC, 631
Vock C see Schröder S, 489

W

Wagner AK see Majerske CW, 265
Walker SE, Weidner TG, Armstrong KJ: Evaluation of athletic training students' clinical proficiencies, 386
Walters J see Hamson-Utley JJ, 258
Wassinger CA see Oyama S, 565
Weidner TG see Henning JM, 275; Walker SE, 386
Whalen SL see Maurer-Starks SS, 326
Wilson JT see Laudner KG, 359
Wojtys EM see Hoffman M, 364; Palmieri-Smith RM, 547
Woods TS see Almquist J, 416

X

Xu L see Beaulieu ML, 549

Y

Yard EE see Huffman EA, 624; Rechel JA, 197
Yom JP, Bowser B, Arnett SW, Fu YC, Simpson KJ: The effects of a prophylactic ankle brace on lower extremity biomechanics during drop landing [abstract], 544
Yu B see Herman DC, 558; Ross SE, 44

Z

Zelman EA see Chaudhari AM, 554
Zuri RE see Lopez RM, 55

SUBJECT INDEX
Volume 43

A

abrasions, occlusive dressings for, 600
acceleration, head, sex differences and, 578
activity levels, postconcussion, 265
adolescent athletes
  female volleyball, 571
  medical care, 416
aerobic exercise, postural control, 456
agility, functional performance tests, 342
airway access, 14
anaerobic exercise, postural control, 456
ankle
  anterior drawer laxity, 242
  braces, 37, 164, 234, 347
  dislocations, 37, 319
  functional performance tests, 342
  instability, 44, 51, 179, 342
  postural control, 293, 305
  range of motion, 172
  sprains, 37, 44, 51, 179, 230, 242, 293, 305, 523
  stiffness, 242
Ankle Joint Functional Assessment Tool, 44
anorexia nervosa, 80
anterior cruciate ligament, 133, 139, 364, 396, 455, 530, 538, 541, 543
anterior drawer laxity, 242
anterior knee pain, 21
Approved Clinical Instructors
  questioning skills, 284
  role strain, 275
arthrometry, knee, 157
assessment
  ankle instability, 44, 242, 342
  scapular posture, 565
  shoulder, 571
  Standardized Orthopedic Assessment Tool, 483
athletes, collegiate
  chronic ankle instability, 179
  concussions, 119
  side-step cutting maneuvers, 133
athletic trainers
  burnout, 62
  career choice, 70
  ethical decision making, 205
  fitness habits, 617
  health habits, 617
  job satisfaction, 373
  moral philosophies, 205
  psychological skills, 258
  role complexity, 373
  work-family conflict, 505, 513
athletic training
  heteronormativity, 326
  homonegativity, 326
athletic training students
  clinical proficiencies, 386
  ethical decision making, 205
  moral philosophies, 205
  professional socialization, 379
Athletic Training Burnout Inventory, 62
attrition, athletic trainers', 513

B

balance, 44, 456
  ankle instability, 293, 305
  exercise protocols, 456
  Star Excursion Balance Test, 347
  triple-hop distance test, 144
basketball players, ankle sprains, 230
biomechanics
  ankle, 37
  glenohumeral joint, 352
  lower extremity, 477
bisexuality, 326
block randomization, 215
body image, 80
braces
  ankle, 37, 164, 234, 347
  knee, 409
bulimia nervosa, 80
burnout, athletic trainers', 513

C

career choice, athletic trainers', 70
cervical spine, 14
chilblains, 640
chondromalacia patella, 190
chronic ankle instability, 293, 305
Clarke sign, 190
classification, orthopaedic injuries, 117
clinical competence, 386
clinical education
  clinical proficiencies, 386
  professional socialization, 379
  questioning skills, 284
  role strain, 275
  Standardized Orthopedic Assessment Tool, 483
clinical outcomes assessment, 428, 437
clinical trials, randomization techniques, 215
closed kinetic chain exercises, scapular muscles, 464
cold injuries, 640
collegiate athletes
  ankle sprains, 230
  concussions, 119
  fibular fracture, 319
  knee braces, 409
  talocrural dislocation, 319
concussions, 456
  history, 119
  neurocognitive performance, 119, 265
  pathomechanics, 578
  postconcussive activity, 265
  postural control, 456
  soccer players, 578
  symptoms, 119, 265
contraction test, 470
cooling vest, 55
covariate adaptive randomization, 215
C-reactive protein, football players, 608
critical thinking, 284
Cuff Link device, 464
cushioned column shoe system, ankle sprains and, 230
cutting maneuvers, side step, 133

D

decision making, athletic training educators, students, 205
dental injuries, 624
depersonalization, athletic trainers', 62
diet
  athletic trainers', 617
  elite distance runners', 489

disablement models, 428, 437
dislocations, talocrural, 319
disordered eating, position statement, 80
distance runners, elite, nutrition, 489
diversity, 326
dorsiflexion, ankle, 51
dynamic balance, 164
  Star Excursion Balance Test, 347
dyslipidemia, football players, 608

E

eating disorders, position statement, 80
editorials, 5, 117, 341, 455
electric stimulation, 592
electromechanical efficiency, vastus muscles, 152
electromyography, 133, 477
  scapular muscles, 464
  vastus muscles, 152
emergency management, 6, 14
endocrinology, 631
endurance, elite distance runners', 489
energy expenditure, elite distance runners', 489
ethics
  athletic training educators', students', 205
  ideology, judgment, 205
evaluation, clinical proficiencies, 386
eversion, ankle, 51
evidence-based practice
  ankle sprains, 523
  athletic training, 428, 437
  medial tibial stress syndrome, 316
  tissue adhesives for lacerations, 222
exercise protocols
  athletic trainers', 617
  postural control, 456
  scapular muscles, 464
  stretch-shortening, 592
exertion, postconcussion, 265
external ankle supports, 234
eye injuries, 624

F

face mask removal, 14
fatigue
  ankle bracing, 164
  exercise protocols, 456
  rotator cuff, 352
  time to stabilization, 164
  vastus muscles, 152
female athlete triad, 80
female athletes
  anterior cruciate ligament injury, 455, 530, 538, 541, 543
  shoulder injuries, 571
  side-step cutting maneuvers, 133
fibular fracture, 319
fitness, athletic trainers', 617
flexibility
  knee, 470
  shoulder, 359
fluid turnover, professional football players, 184
Foot and Ankle Ability Measure, 179
football players
  dyslipidemia, 608
  fibular fracture, 319
  fluid turnover, 184
  hypertension, 608
  injuries, 14
  knee braces, 409
  metabolic syndrome, 608
  protective equipment, 578
  sweat rates, 184
  talocrural dislocation, 319
force sledge apparatus, 249
force production, 249
fracture, fibular, 319
frostbite, 640
fructose beverages, 585
functional limitations, ankle instability, 44
functional performance tests
  countermovement jump, 249
  drop jump, 249
  rebound jump, 249
  single-limb hop, 342
  single-limb hurdle, 342
  single-limb squat, 477
  squat jump, 249
  triple-hop distance, 144

G

gastrocnemius muscle, 172
gay athletes, athletic training students and, 326
glenohumeral joint
  kinematics, 352
  medial-lateral rotation, 571
glucose beverages, 585
grind test, 190
ground reaction forces, ankle bracing, 234
grounded theory, 379

H

headgear, soccer players', 578
head impact kinematics, 578
health-related quality of life, 428, 437
heat illnesses, 55, 624
  carbohydrate intake, 585
heteronormativity in athletic training, 326
high schools
  athletes' medical care, 416
  athletic injuries, 197, 624
history, concussions, and neurocognitive performance, 119
Hoffmann reflex, 364
homonegativity in athletic training, 326
hormones, endocrinologic measurement, 631
humeral head migration, 352
hydrotherapy, 592
hypertension, football players, 608
hyperthermia
  cooling vest, 55
  professional football players, 184
hypohydration, 55
hypothermia, 640

I

imaging, shoulder, 352
ImPACT, 119
injury epidemiology
  high school sports, 197
  rare conditions, 624
injury mechanisms
  anterior cruciate ligament, 396, 455, 530, 538, 541, 543
  concussions, 578
injury prevention, 234, 305, 409
  ankle braces, 234
  anterior cruciate ligament, 396, 455, 530, 538, 541
  knee ligaments, 396, 409, 455, 530, 538, 541
  medial tibial stress syndrome, 316
injuries
  ankle sprains, 230, 293, 305, 523
  anterior cruciate ligament, 249, 396, 455, 530, 538, 541, 543
  cold, 640
  concussions, 265
  dental, 624
  eye, 624
  fibular fracture, 319
  heat, 624
  knee ligament, 409
  medial tibial stress syndrome, 316
  neck, 624
  rare, 624

rehabilitation, 258, 477
secondary school athletes, 416
syndesmosis, 319
talocrural dislocation, 319
instability, ankle, 44, 51, 179, 293, 305, 342
instrumented testing, ankle instability, 293
insulin levels, football players, 608
International Classification of Functioning, 428
inversion, ankle, 37, 44, 51
isokinetic activity, shoulder peak torque, 571
isokinetic dynamometer, ankle, 51

J

jobs, athletic trainers'
responsibilities, 505
satisfaction, 373, 505, 513

K

Kendall test, 470
kinematics
glenohumeral joint, 352
head impact, 578
lower extremity, 21, 234
knee
ankle stiffness, 242
anterior cruciate ligament, 249, 396, 455, 530, 538, 543
braces, 409
chondromalacia patella, 190
laxity, 364
moments, 477
pain, 21
rectus femoris flexibility, 470
tibiofemoral joint stiffness, 157

L

lacerations, tissue adhesives, 222
landings, lower extremity kinematics, 234
latency, muscle, 29, 37
laxity, ankle, 523
leg dominance, tibiofemoral stiffness, 157
leg spring stiffness, 249
legitimation, athletic training students', 379
lesbian athletes, athletic training students and, 326
life satisfaction, athletic trainers', 513
lift-and-slide transfer technique, 6
loading phase, muscle activation, 133
logroll transfer technique, 6
lower extremities, 37, 230
anterior cruciate ligament injury, 396
fibular fracture, 319
kinematics, 21, 234
medial tibial stress syndrome, 316
rehabilitation, 477
shoe designs, 230
talocrural dislocation, 319
triple-hop distance test, 144

M

macronutrient expenditure, elite distance runners', 489
male athletes, side-step cutting maneuvers, 133
Maslach Burnout Inventory, 62
material modulus, 29
McConnell taping, 21
measurement and evaluation, Standardized Orthopedic Assessment Tool, 483
mechanomyography, vastus muscles, 152
medical care, secondary school-aged athlete, 416
memory, concussions and, 119
Mental, Emotional, and Bodily Toughness Inventory, 125
menstrual cycle phase, anterior cruciate ligament injury and, 541
mental imagery, 258
metabolic responses, heat stress, 585
metabolic syndrome, football players, 608
mild traumatic brain injuries, 119, 265, 578
postural control, 456
minimization, randomization techniques, 215
modalities, therapeutic, 592
moist environment, wound healing and, 600
moral philosophies, athletic training educators', students', 205
motoneuron excitability, sex differences, 364
movement analysis, 477
muscles
activation, 133
assessment, 483
damage, 592
electromechanical efficiency, 152
latency, 29, 37
length, 592
rectus femoris, 470
scapular, 464
stiffness, 29

N

Nagi model, 428
National Athletic Trainers' Association position statements
cold injuries, 640
disordered eating, 80
National Center for Medical Rehabilitation Research, 428
neck injuries, 624
neurocognitive performance, concussions and, 119, 265
neuromuscular control, 29
neuromuscular performance, 592
nutrition,
athletic trainers', 617
elite distance runners', 489

O

obesity, football players, 608
Objective Structured Clinical Examinations, 483
occlusive dressings, wound healing, 600
open kinetic chain exercises, triple-hop distance test, 144
organizational support, athletic trainers', 62
orthoses, ankle, 37
outcomes
disablement models, 428, 437
Foot and Ankle Ability Measure, 179
randomization techniques, 215
overhead athletes, scapular posture, 565

P

patella
Clarke sign, 190
patellofemoral pain syndrome, 21, 190
taping, 21
pathogenic weight control behaviors, 80
patient care, 341
disablement models, 428
secondary school-aged athlete, 416
peak torque
shoulder, 571
triple-hop distance test, 144
pedagogy, 275, 284, 379, 386
perceptions, potential athletic training recruits', 70
pernio, 640
physical therapists, psychological skills, 258
plantar flexion
angle, 37
torque deficits, 51
position statements
cold injuries, 640
eating disorders, 80
postural control, 21, 164, 456
ankle instability, 293, 305
Star Excursion Balance Test, 347
triple-hop distance test, 144

posture, scapular, 565
power, triple-hop distance test, 144
prehospital care, 6
preparatory phase, muscle activation, 133
professional preparation, athletic trainers', 379
professional athletes, football
  fluid turnover, 184
  sweat rates, 184
prophylactic braces, 234
protective equipment, 14
  ankle braces, 37, 164, 234, 347
  knee braces, 409
  soccer players', 578
psychology
  athletic trainers' skills, 258
  Mental, Emotional, and Bodily Toughness Inventory, 125
  physical therapists' skills, 258

Q

quadriceps muscles, flexibility, 470
quality of life
  athletic trainers', 505
  patients', 437

R

randomization techniques, 215
range of motion, shoulder, 359
Rasch model, Mental, Emotional, and Bodily Toughness Inventory, 125
reaction time
  ankle, 37
  concussions, 119
recovery
  postural control, 456
  speed, 258
recruitment, athletic trainers, 70
rectal temperature, 585
rectus femoris muscles, flexibility, 470
rehabilitation, 464, 523
  adherence, 258
  ankle sprains, 523
  concussion, 265
  lower extremity, 477
  psychological skills, 258
  scapular muscles, 464
reliability
  Athletic Training Burnout Inventory, 62
  modified Thomas test, 270
  Standardized Orthopedic Assessment Tool, 483
research methodology, endocrinology, 631
role models, athletic trainers as, 617
roles, athletic trainers'
  ambiguity, 373
  complexity, 373
  conflict, 275, 373
  incompetence, 275
  overload, 275, 373
  performance, 379
  strain, 275
rotator cuff, 352
runners, elite distance, nutrition, 489
running injuries, medial tibial stress syndrome, 316

S

safety, secondary school-aged athlete, 416
scapula
  kinematics, 565
  muscles, 464
  resting posture, 565
secondary school-aged athlete, medical care, 416
sex differences
  anterior tibial displacement, 364
  head acceleration, 578
  motoneuron excitability, 364
  side-step cutting maneuvers, 133
sex hormones
  anterior tibial displacement, 364
  motoneuron excitability, 364
shin splints, 316
shoe design, ankle sprains and, 230
shoulder
  evaluation, 565
  glenohumeral kinetmatics, 352
  rotator cuff fatigue, 352
  scapular muscles, 464
  scapular posture, 565
  sleeper stretches, 359
  strength, 571
side-step cutting maneuvers, 133
simple randomization, 215
single-limb stance, Star Excursion Balance Test, 347
socialization, professional, 275
  athletic trainers, 70
  athletic training students, 379
socializing agents, 379
sodium losses, professional football players', 184
soft tissue, shoulder, 359
spinal immobilization, 6
spinal stretch reflex, triceps surae, 29
spine injuries, 624
sport psychology
  athletic trainers' skills, 258
  Mental, Emotional, and Bodily Toughness Inventory, 125
  physical therapists' skills, 258
stabilometry, 293, 305
Standardized Orthopedic Assessment Tool, 483
standardized patients, 386
Star Excursion Balance Test, 347
stiffness, ankle, 242
stratified randomization, 215
strength, 51
  anterior cruciate ligament reconstruction, 249
  shoulder, 571
  triple-hop distance test, 144
stress injuries, medial tibial, 316
stretching
  gastrocnemius, 172
  shoulder, 359
study design, endocrinology, 631
subclinical eating disorders, 80
subjective warrant, athletic trainers', 70
subtalar joint, 172
sweat rates, professional football players', 184
symptoms, concussion, 265
syndesmosis injuries, 319

T

talocrural joint, dislocation, 319
taping, patellar, 21
temperatures, core, 585
therapeutic modalities, 592
thermoregulation, 55, 585, 640
  professional football players, 184
Thomas test, reliability limits, 470
throwing athletes, sleeper stretches, 359
tibia
  anterior displacement, 364
  medial tibial stress injuries, 316
  tibiofemoral stiffness, 157
time commitments, athletic trainers', 62
time to stabilization, collegiate volleyball athletes, 44
tissue healing
  adhesives, 222
  ankle sprains, 523
torque, peak
  triple-hop distance test, 144
triceps surae muscle
  muscle stiffness, spinal stretch reflex, 29
triple-hop distance test, 144

V

valgus stress, tibiofemoral stiffness, 157
validity, 483
  Athletic Training Burnout Inventory, 62
  Foot and Ankle Ability Measure, 179
  Standardized Orthopedic Assessment Tool, 483
vastus muscles
  electromechanical efficiency, 152
  fatigue, 152
volleyball athletes
  ankle bracing, 164
  fatigue, 164
  shoulder injuries, 571
  time to stabilization, 164

W

work load, athletic trainers', 505
work-family conflict, athletic trainers'
  antecedents, 505
  job, life satisfaction, 513
wounds, management, 600